

GLAZED VITRIFIED TILES
600x1200MM

PROJECTILETM
MIDDLE EAST | in pursuit of excellence



PRO SURFACE
ZERO REFLECTION



SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

LAPIC NATURAL



RANDOM - 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL




FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

LAPIC VERDE



RANDOM - 5



P R O S U R F A C E
Z E R O R E F L E C T I O N





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

PRADA CREMA



RANDOM FACES: 4





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

PRADA NATURAL



RANDOM FACES: 4





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

SATUARIO IMPERIO



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

NORWAY GRIGIO



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

NORWAY BEIGE



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR


PROJECTILETM

MIDDLE EAST | in pursuit of excellence

EMOTION PEARL



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

EMOTION GRIGIO



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

EMOTION NATURAL



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL




FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

EMOTION GRAPHITE



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR



MIDDLE EAST | in pursuit of excellence

VEGAS BIANCO



RANDOM FACES: 5



P R O S U R F A C E
Z E R O R E F L E C T I O N





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

VEGAS FOG



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

VEGAS GRIGIO



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

VEGAS PEARL



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

VELANTION TAUPE



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

VELANTION BEIGE



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL




FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

VIVID GOLD



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

VIVID PEARL



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR



MIDDLE EAST | in pursuit of excellence

EMICRON NATURAL



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL




FLOOR


PROJECTILE™

MIDDLE EAST | in pursuit of excellence

ALBA BEIGE



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

ALBA BRUNO



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR


PROJECTILE™

MIDDLE EAST | in pursuit of excellence

ALBA DARK GREY



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR


PROJECTILE™

MIDDLE EAST | in pursuit of excellence

ALBA GREY



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR


PROJECTILE™

MIDDLE EAST | in pursuit of excellence

ALBA NATURAL



RANDOM FACES: 5





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR



MIDDLE EAST | in pursuit of excellence

MARAZZI TAUPE



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

MARAZZI GREY



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

MARAZZI GRIGIO



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR


PROJECTILE™

MIDDLE EAST | in pursuit of excellence

MARAZZI SILVER



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

MARAZZI BRUNO



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

MARAZZI BEIGE



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

GRAPHITE GRIS



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

GRAPHITE SILVER



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILE™

MIDDLE EAST | in pursuit of excellence

GRAPHITE GREY



RANDOM FACES: 6





SIZE
600 X 1200 MM



SURFACE
PRO CARVING



THICKNESS
8.5 MM



3 MM
SPACER



INSTALL TILES
AS PER MARKED ARROW



WALL



FLOOR

PROJECTILETM

MIDDLE EAST | in pursuit of excellence

GRAPHITE MOKA



RANDOM FACES: 6



TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIa	MEAN VALUE	MEAN VALUE	STANDARD TEST METHOD
REGULATORY PROPERTIES				
Length and Width	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO 10545-2
Straightness of Sides	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Rectangularity	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Surface Flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO 10545-2
Color difference	Unaltered	No change	No change	ISO 10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water Absorption	± 0.50 %	± 0.20 %	± 0.20 %	ISO 10545-3
Apparent density	± 2.0 g/cc	± 2.10 g/cc	± 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of Rupture	Min. 34 N/mm2	Min. 40 N/mm2	Min. 40 N/mm2	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO 10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO 10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO 10545-7
MOH' s hardness	As per mfg.	Min. 4	Min. 5	EN 101
TERMO HYGROMETRIC PROPERTIES				
Frost Resistance	No damage	No damage	No damage	ISO 10545-12
Thermal Shock Resistance	No damage	No damage	No damage	ISO 10545-9
Moisture expansion	Nil	Nil	Nil	ISO 10545-10
Thermal expansion (COE)	Max. 9.0 x 10.6	Max. 6.5 x 10	Max. 6.5 x 10	ISO 10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-11
CHEMICAL PROPERTIES				
Chemicale resistance	No damage	No damage	No damage	ISO 10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO 10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>4.40	>4.40	ISO 10545-17
Stain resistance	As per mfg.	Fireproof	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not field Pb & Cd	Does not field Pb & Cd	ISO 10545-15

Packing Detail: _____

Tile Size	No. of Tiles Per Box	Coverage Area (Approx.)	Box Weight (Kgs. Approx.)
600x1200mm	2 Pcs.	1.44 Sq. Mtr.	29