


GLAZED VITRIFIED TILES
600x1200 MM

PROJECTILETM

MIDDLE EAST | in pursuit of excellence



MATT & CARVING COLLECTION
AVAILABLE IN BOTH SURFACE



UNLEASH YOUR CREATIVITY WITH A CHIC AND VERSATILE DESIGN TREND

MATT

600x1200 MM

These designs trend is a modern twist on classic finishes, adding a refined touch to any space. With its versatile and chic aesthetic, matte finishes can be incorporated into a range of design styles, from contemporary to traditional.

This design can add depth and sophistication to any room. By embracing the beauty of subtle sophistication, you can elevate your home design with a modern twist on classic matte finishes.

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



PARKER CAMEL



RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



PARKER CREMA

RANDOM - 04

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



PARKER DUSK

RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



PARKER GREY



RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



PARKER NERO



RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT


 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



ARTECH BIANCO



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



ARTECH BEIGE



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



ARTECH GREY



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



ARTECH NERO



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



TIERRA BEIGE



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



TIERRA BIANCO



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



TIERRA GREY



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



TIERRA GRIS



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



TIERRA OLIVE



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



COSMIC MARBLE

RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



SPECTRE BEIGE



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT


THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



SPECTRE BIANCO

RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT


THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



SPECTRE CREMA

RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



SPECTRE GREY

RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER


INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



MEMPHIS GRIS



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



MEMPHIS ICE

RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT





THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



MEMPHIS NERO

RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



DENVER ASH

RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



DENVER CEMENTO



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



SATURN GREY



RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



SATURN BEIGE



RANDOM - 04

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



ZETA CREMA



RANDOM - 04

SIZE
600 X 1200 MM

SURFACE
MATT


THICKNESS
8.5 MM

3 MM
SPACER




INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



ZETA GREY



RANDOM - 04

SIZE
600 X 1200 MM

SURFACE
MATT


THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



TERRAZZO BEIGE

RANDOM - 04

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



TERRAZZO BIANCO

RANDOM - 04

SIZE
600 X 1200 MM

SURFACE
MATT


THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



TERRAZZO GRAPHITE

RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



ROMAN MARFIL



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



EVOLUTION BEIGE



RANDOM - 01

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



EVOLUTION GRIGIO



RANDOM - 01

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER



 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



EVOLUTION PEARL



RANDOM - 01

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



BERLIN GREY



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



BERLIN BEIGE



RANDOM - 04

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



BERLIN BIANCO

RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER


 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



BERLIN BLACK



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



BERLIN BROWN

RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



ROME BEIGE



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



ROME BLACK



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



ROME BROWN



RANDOM - 03

SIZE
600 X 1200 MM

SURFACE
MATT

THICKNESS
8.5 MM

3 MM
SPACER

INSTALL TILES
AS PER MARKED ARROW

WALL

FLOOR



ROME GREY



RANDOM - 03

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



SINAI PEARL CHIARO

RANDOM - 01

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



SINAI PEARL MARFIL



RANDOM - 01

 SIZE
600 X 1200 MM

 SURFACE
MATT

 THICKNESS
8.5 MM

 3 MM
SPACER

 INSTALL TILES
AS PER MARKED ARROW

 WALL

 FLOOR



SINAI PEARL NOCCIOLA

RANDOM - 01

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B1a	MEAN VALUE	MEAN VALUE	STANDARD TEST METHOD
REGULATORY PROPERTIES				
Length and Width	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO 10545-2
Straightness of Sides	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Rectangularity	± 0.5 %	± 0.1 %	± 0.1 %	ISO 10545-2
Surface Flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO 10545-2
Color difference	Unaltered	No change	No change	ISO 10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water Absorption	± 0.50 %	± 0.20 %	± 0.20 %	ISO 10545-3
Apparent density	± 2.0 g/cc	± 2.10 g/cc	± 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of Rupture	Min. 34 N/mm2	Min. 40 N/mm2	Min. 40 N/mm2	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO 10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO 10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO 10545-7
MOH' s hardness	As per mfg.	Min. 4	Min. 5	EN 101
TERMO HYGROMETRIC PROPERTIES				
Frost Resistance	No damage	No damage	No damage	ISO 10545-12
Thermal Shock Resistance	No damage	No damage	No damage	ISO 10545-9
Moisture expansion	Nil	Nil	Nil	ISO 10545-10
Thermal expansion (COE)	Max. 9.0 x 10.6	Max. 6.5 x 10	Max. 6.5 x 10	ISO 10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO 10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO 10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>4.40	>4.40	ISO 10545-17
Stain resistance	As per mfg.	Fireproof	Fireproof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not field Pb & Cd	Does not field Pb & Cd	ISO 10545-15

Packing Detail: _____

Tile Size	No. of Tiles Per Box	Coverage Area (Approx.)	Box Weight (Kgs. Approx.)
600x1200mm	2 Pcs.	1.44 Sq. Mtr.	29