


GLAZED VITRIFIED TILES  
600x1200MM

TM  
**PROJECTILE**  
MIDDLE EAST | in pursuit of excellence



| PUNCH RELIEF COLLECTION



# AURA SERIES

## MATT PUNCH RELIEF

Modern colors and sensual textures are of a new space that goes beyond the concept of ceramics collection. These come in a broad range of formats, bring to life a play between color and texture, where the only rule is the inspiration stirred by our instinct and personal taste. A spectrum of unique size 600x1200mm to display our way of life, for those who want to create a living space with character- exclusive and inimitable like each of us.



SIZE  
600 X 1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW



WALL



FLOOR

## AURA SAND



ZERO  
REFLECTION  
SURFACE

## RANDOM - 4





SIZE  
600 X 1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW



WALL



FLOOR

## AURA ROPE




ZERO  
REFLECTION  
SURFACE

RANDOM - 4





## AURA SCURO



## RANDOM - 4





SIZE  
600 X 1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW




WALL



FLOOR


## AURA SMOKE



ZERO  
REFLECTION  
SURFACE

RANDOM - 4





SIZE  
600 X 1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW




WALL



FLOOR

## AURA TARMAC



ZERO  
REFLECTION  
SURFACE

RANDOM - 4



# STARDUST SERIES



Modern colors and sensual textures are of a new space that goes beyond the concept of ceramics collection. These come in a broad range of formats, bring to life a play between color and texture, where the only rule is the inspiration stirred by our instinct and personal taste. A spectrum of unique size 600x1200mm to display our way of life, for those who want to create a living space with character- exclusive and inimitable like each of us.

 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## STARDUST ECRU



## RANDOM - 5



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## STARDUST ROPE



## RANDOM - 5



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## STARDUST SCURO



## RANDOM - 5



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

### STARDUST SMOKE



### RANDOM - 5



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## STARDUST TARMAC



RANDOM - 5




# MOLD SERIES



Modern colors and sensual textures are of a new space that goes beyond the concept of ceramics collection. These come in a broad range of formats, bring to life a play between color and texture, where the only rule is the inspiration stirred by our instinct and personal taste. A spectrum of unique size 600x1200mm to display our way of life, for those who want to create a living space with character- exclusive and inimitable like each of us.

 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## MOLD ECRU



## RANDOM - 4



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## MOLD MUD



RANDOM - 4



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## MOLD SAND



## RANDOM - 4



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR


## MOLD SMOKE



## RANDOM - 4



# Fjord Series



# Fjord Series



FJORD SAND

FJORD ECRU

FJORD ICE

FJORD GRIS

FJORD SMOKE

SIZE  
600 X 1200 MMSURFACE  
PUNCH MATTTHICKNESS  
8.5 MM3 MM  
SPACERINSTALL TILES  
AS PER MARKED ARROW

WALL



FLOOR

## FJORD SAND

ZERO  
REFLECTION  
SURFACE

## RANDOM - 5



 SIZE  
600 X1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## FJORD ECRU





## RANDOM - 5



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## FJORD ICE


 ZERO  
REFLECTION  
SURFACE

## RANDOM - 5



 SIZE  
600 X 1200 MM SURFACE  
PUNCH MATT THICKNESS  
8.5 MM 3 MM  
SPACER INSTALL TILES  
AS PER MARKED ARROW WALL FLOOR

## FJORD GRIS

 ZERO  
REFLECTION  
SURFACE

## RANDOM - 5



< SALINA

< GYM



SIZE  
600 X1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW




WALL



FLOOR

## FJORD SMOKE



ZERO  
REFLECTION  
SURFACE

## RANDOM - 5





PUNCH RELIEF  
**CARVING EFFECT**

 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL

 FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence

## CHEVRON WOOD GOLD



RANDOM - 4



 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL  
 FLOOR

**PROJECTILE**<sup>TM</sup>  
**MIDDLE EAST** | in pursuit of excellence

## CHEVRON WOOD NATURAL



RANDOM - 4



 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL

 FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence

## CHEVRON WOOD SILVER





 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL  
 FLOOR

**PROJECTILE**<sup>TM</sup>  
**MIDDLE EAST** | in pursuit of excellence

## CHEVRON WOOD CHOCO



RANDOM - 4



 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL

 FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence

## CHEVRON WOOD NERO




RANDOM - 4





# STONEX SERIES

PUNCH RELIEF LYCRA SURFACE



# STONEX SERIES


PUNCH RELIEF LYCRA SURFACE

Described as a brushed face of granite stone that maintains its true shade and color, Punch Lycra Relief also provides a slip-resistant surface. Unlike flamed or honed surfaces where thickness is varied or color is muted, this new look allows for a consistent surface on tiles, ensuring the thickness will be maintained just as in polished tiles.

The finish available in 6 different colors and in standard 600x1200mm size.



01.




06.



02.




03.



05.



04.





SIZE  
600 X 1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW




WALL




FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence

STONEX BIANCO



RANDOM - 4





 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL  
 FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence



STONEX NATURAL



RANDOM - 4





 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM

 3 MM  
SPACER


 INSTALL TILES  
AS PER MARKED ARROW

 WALL  
 FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence



RANDOM - 4





 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT

 THICKNESS  
8.5 MM


 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW

 WALL


 FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence



STONEX BRUNO

RANDOM - 4







SIZE  
600 X 1200 MM



SURFACE  
PUNCH MATT



THICKNESS  
8.5 MM



3 MM  
SPACER



INSTALL TILES  
AS PER MARKED ARROW



WALL




FLOOR

**PROJECTILE**<sup>TM</sup>  
MIDDLE EAST | in pursuit of excellence

STONEX COTTO



RANDOM - 4





 SIZE  
600 X 1200 MM

 SURFACE  
PUNCH MATT


 THICKNESS  
8.5 MM

 3 MM  
SPACER

 INSTALL TILES  
AS PER MARKED ARROW


 WALL  
 FLOOR

**PROJECTILE**<sup>TM</sup>  
**MIDDLE EAST** | in pursuit of excellence



STONEX GRAPHITE

RANDOM - 4





# TECHNICAL SPECIFICATION

Sr. No	Characteristics	Method of Testing	Vitrified Tiles ISO 13006 / EN 176 Group B1a	Values
<b>A</b>	<b>Dimension &amp; Surface Quality</b>			
1	Deviation in Length & Width	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
2	Deviation in Thickness	ISO 10545-2	+ / - 5.0%	+ / - 2.0%
3	Straightness of Sides	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
4	Rectangularity	ISO 10545-2	+ / - 0.5 %	+ / - 0.1%
5	Surface Flatness	ISO 10545-2	+ / - 0.5%	+ / - 0.2%
6	Color Differences	ISO 10545-16	Unaltered	No Change
7	Surface Coating	Nano Machine	As Per Manfacturer Norms	Nano Polished
<b>B</b>	<b>Physical Properties</b>			
1	Water Absorption	ISO 10545-3	< 0.5%	0.08%
2	Flexural Strength ( MOR )	ISO 10545-4	> 27 N / mm <sup>2</sup>	> 30 N / mm <sup>2</sup>
3	Mohs Hardness	EN 101	Min 6	6 Mohs
4	Flexural Breaking Strength	ISO 10545-4	> 1113 N	2350 N
5	Bulk Density ( Gm / cc )	DIN 51082	>2 gm/cc	2.35 gm/cc
6	Glossiness	Glossometer	As Per Manfacturer Norms	Min 85 % reflection
7	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.6
8	Crazing Resistance	ISO 10545-11	Min 4 Cycle @ 7.5 Bar	Passes 4 Cycle
9	Resistance Of Surface Abrasion	ISO 10545-6	As Per Manfacturer Norms	> PEI I V
<b>C</b>	<b>Chemical Properties</b>			
1	Staining Resistance	ISO 10545-14	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage
<b>D</b>	<b>Thermal Properties</b>			
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
2	Thermal Expansion	ISO 10545-10	9 x 10 - 6 max	6 x 10 -6
3	Moisture Expansion	ISO 10545 - 10	Nil	Nil

## PACKING DETAILS

PRODUCT	SIZE	PCS/BOX	COVERAGE AREA
GLAZED VITRIFIED TILES	600x1200mm	2	1.44 SQ. MTR.      15.50 SQ. FT.

Note : Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Slight variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

## APPLICATION

